

### **In the Claims:**

This listing of claims, herein, will replace all prior versions, and listings, of claims in the Application.

### **Listing of Claims:**

1. (Currently amended) A method, operable on a computer system, for managing network resources for copying data stored on a first data storage system to a second data storage system in a data replication process, wherein each data storage system includes an array of data storage devices on which data involved in the copying is stored, the method comprising the computer-executed steps of:

requesting from a server for services on ~~an internet~~ a network, ~~[[a]]~~ an allocation of bandwidth for data copying from a first data storage system to a second data storage system over the ~~internet~~ network based on the amount of data to be copied, wherein the bandwidth allocation is determined based on an estimate of the data to be copied and a known time period;

copying data in response to ~~[[a]]~~ the bandwidth allocation from the server based on the request;

monitoring ~~internet~~ network traffic characteristics during the data copying; and

responsive to the monitored ~~internet~~ network traffic characteristics, selectively requesting an effect on the bandwidth allocation.

2. (Original) The method of claim 1, wherein the effect requested is to increase bandwidth allocation.

3. (Previously presented) The method of claim 1, wherein the request is in accordance with a Java-based protocol.

4. (Currently amended) The method of claim ~~[[3]]~~ 1, wherein the effect requested is to increase the bandwidth allocation ~~[[is]]~~ based on ~~the data copying~~ not meeting at least one performance criterion.
5. (Currently amended) The method of claim 4, wherein the at least one performance criterion is ~~based on~~ a predetermined data copying rate.
6. (Cancelled)
7. (Currently amended) The method of claim ~~[[6]]~~ 1, wherein the monitored internet network traffic characteristics ~~include~~ includes information regarding packet latency ~~and the data copying lagging behind is further based on packet latency.~~
8. (Currently amended) The method of claim ~~[[6,]]~~ 1, wherein the monitored internet network traffic characteristics ~~include~~ includes information regarding packet loss ~~and the data copying lagging behind is further based on packet loss.~~
- 9 - 15. (Cancelled).
16. (Currently amended) The method of claim ~~[[9]]~~ 1, wherein the data replication is carried out in accordance with a replication policy.
17. (Original) The method of claim 16, wherein the replication policy defines replication groups including devices distributed between the first and second data storage systems and the data replication process is completed when all devices in the replication groups are synchronized.
18. (Currently amended) A networked computer system for managing network resources for copying of data from a first data storage system to a second data storage system in a data replication process, wherein each data storage system includes an array of data storage devices on which data involved in the copying is stored, the networked computer system comprising:

a first data storage system;

a second data storage system in communication with the first data storage system over an ~~internet~~ a network;

a server for providing ~~internet~~ services over the ~~internet~~ network; and

a network communication device capable of enabling the method steps of:

requesting from a server for services on an ~~internet~~ network, ~~[[a]]~~ an allocation of bandwidth for data copying from the first data storage system to the second data storage system over the ~~internet~~ network based on the amount of data to be copying, wherein the bandwidth allocation is determined based on an estimate of the data to be copied and a known time period;

copying in response to a bandwidth allocation from the server based on the request;

monitoring ~~internet~~ network traffic characteristics during the data copying; and

responsive to the monitored ~~internet~~ network traffic characteristics, selectively requesting an effect on the bandwidth allocation.

19. (Cancelled)

20. (Previously presented) The system of claim 19, wherein the request is in accordance with a Java-based protocol.

21. (Currently amended) The system of claim ~~[[20]]~~ 18, wherein the effect requested is to increase bandwidth allocation ~~[[is]]~~ based on ~~the data copying~~ not meeting at least one performance criterion.

22. (Previously presented) The system of claim 21, wherein the at least one performance criterion is based on a predetermined data copying rate.

23. (Cancelled)

24. (Currently amended) The system of claim ~~[[23]]~~ 18, wherein the monitored internet network traffic characteristics include information regarding packet latency ~~and the data copying lagging behind is further based on packet latency.~~

25. (Currently amended) The system of claim ~~[[22]]~~ 18, wherein the monitored internet network traffic characteristics include information regarding packet loss ~~and the data copying lagging behind is further based on packet loss.~~

26. (Currently amended) The system of claim ~~[[19]]~~ 18, wherein the data replication is carried out in accordance with a replication policy.

27. (Original) The system of claim 26, wherein the replication policy defines replication groups including devices distributed between the first and second data storage systems and the data replication process is completed when all devices in the replication groups are synchronized.

28. (Currently amended) A program product for managing network resources for copying of data stored in a data storage environment, the program product being for management of data and being comprised of:

computer-executable logic contained on a computer-readable medium and which is configured for causing the following computer-executed the steps of to occur:

requesting from a server for services on an internet network, ~~[[a]]~~ an allocation of bandwidth for data copying from a first data storage system to a second data storage system over the internet network based on the amount of data to be copying, wherein the

Applicant: Yao Wang, *et al.*  
U.S.S.N.: 10/017,304  
Filing Date: December 11, 2001  
EMC Docket No.: EMC-01-201

bandwidth allocation is determined based on an estimate of the data to be copied and a known time period;

copying data in response to ~~[[a]]~~ the bandwidth allocation from the server based on the request;

monitoring ~~internet~~ network traffic characteristics during the data copying; and

responsive to the monitored ~~internet~~ network traffic characteristics, selectively requesting an effect on the bandwidth allocation.